



VFLYX Series 2

Features


- Highly Aerodynamic design (High endurance 25min +)
- Long endurance platform
- Improved with multi IMU for data logging and additional external sensors
- Payload : upto 15kg
- Range 5-10km, Altitude 300f(restricted by DGCA)
- HD video streaming
- Fail safety modes
- Autonomous operation
- Carbon Motors, Cargo Hook & Carbon Fibre Propellers





Camera Features

- Product Dimensions 11 x 3.61 x 6.3 cm; 267.62 Grams
- Batteries 1 Lithium ion batteries required. (included)
- Flash Internal
- Hardware Interface Memory Stick PRO Duo, SDHC, SDXC
- Standing screen display size 3 Inches
- Display Type LCD
- Image Stabilization 1484872031
- Has Image Stabilisation Yes
- Optical Zoom 3 x
- Digital Zoom 2
- Max Resolution 20.1 MP
- Optical Sensor Resolution 20.1 MP
- Max Vertical Resolution 3632 Pixels
- Maximum Shutter Speed 1/4000 Seconds
- Minimum Shutter Speed 30 seconds
- Min Focal Length 16 Millimeters
- Batteries Included Yes
- Batteries Required Yes
- Continuous Shooting Speed 3.5
- Connector Type Wi-Fi, NFC
- Form Factor DSLR, Compact
- Viewfinder Type Electronic
- Includes Rechargeable Battery Yes
- Has Self Timer Yes
- Item Weight 268 g



 Xboom Utilities
#330, 27th Main, Sector 2,
HSR Layout, Bangalore-560102

 Cloud No - 08061992438
Landline-080 2258 2616

 www.xboom.in

 contact@xboom.in